

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/803002	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:11
S2	805	packet near5 header near5 compression	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:24
S3	114	(packet near5 header near5 compression) same (order \$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:13
S4	35	S3 and (TCP IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:14
S5	18	S3 and (TCP IP) and (appear\$5 or arrive\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:14
S6	18	S3 and (TCP IP) and (appear\$5 or arrive\$6) and (differen\$5 or delta)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:15
S7	853	header near5 compression near5 (method or technique or algorithm)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:25
S8	423	uncompress\$5 near5 header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:26
S9	170	S7 and S8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:26

S10	154	S9 and (order\$5 or (re order))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:27
S11	75	S10 and difference	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 08:27
S12	61	S10 and difference and ((transmit\$5 and receiv\$5) or send\$5)and (stor\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:00
S13	274	((robust header compression) or ROHC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:01
S14	179	S13 and decompress\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:02
S15	82	S13 and decompress\$5 and (delta or difference)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:02
S16	17	(uncompressed near5 header) near5 (associate \$5 or relat\$5 or corrlat\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 13:11
S17	14	(uncompressed near5 header) near5 (associate \$5 or relat\$5 or corrlat\$5) and receiv\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 13:13
S18	11	(uncompressed near5 header) near5 (associate \$5 or relat\$5 or corrlat\$5) and receiv\$5 and order and (associate\$5 or relat\$5 or corrlat\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 13:13
S19	14	(uncompressed near5 header) near5 (associate \$5 or relat\$5 or corrlat\$5) and receiv\$5 and (associate \$5 or relat\$5 or corrlat\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 13:14

S20	4	(uncompressed header) and Miyazaki	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:10
S21	4	(uncompressed header) and (Miyazaki)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:11
S22	76	(uncompressed) and Miyazaki	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:14
S24	0	"6914903".pn. and (differ \$5 and delta)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:14
S25	1	"6914903".pn. and (differ \$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:14
S26	1	"6914903".pn. and (differ \$5)and uncompressed and header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:15
S27	1	"6914903".pn. and (differ \$5)and uncompressed and header and follow\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:49
S28	1	"6914903".pn. and length	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:50
S29	0	"6914903".pn. and length near5 code	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:50
S30	1	"6914903".pn. and length	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/02 12:51

S31	1	10/803002	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/07 14:05
S32	2	"6914903".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/07 14:06
S33	28124	uncompres\$5 same compres \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/07 14:15
S34	1116	uncompres\$5 same compres \$5 same header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/07 14:15
S35	72	uncompres\$5 same compres \$5 same header same IP same TCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/07 14:15
S36	20	S35 and @pd< "20040317"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/07 14:16
S37	1	10/471825	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/07 14:34
S38	0	"6967964".pn. (Uncompressed same compressed same value)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:10
S39	0	"6967964".pn. (Uncompressed same compressed)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:10
S40	2	"6967964".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:10

S41	0	"6967964".pn. (Uncompressed and compressed)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:11
S42	0	"6967964".pn. (compressed)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:11
S43	0	"6967964".pn. and (Uncompressed samecompressed)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:11
S44	1	"6967964".pn. and (Uncompressed same compressed)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:11
S45	1	"6967964".pn. and (Uncompressed same compressed same value)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:12
S46	1	"6967964".pn. and (Uncompressed same compressed)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:17
S47	1	"6967964".pn. and (Uncompressed same compressed same differen \$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:18
S48	2	"6967964".pn. and (differen \$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 11:20
S49	1	"6967964".pn. and (CID)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 13:05
S50	1	"6967964".pn. and (CID) and PID and sequenc\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 13:07

S51	1136	uncompressed same compressed same sequence	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 13:19
S52	15	uncompressed same compressed same sequence same history	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 13:20
S53	5	S52 and @pd<"20040317"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/14 13:21
S54	22389	((uncompress\$5 header) or header) same compress\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:22
S55	3350	((uncompress\$5 header) or header) same compress\$5 same value	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:24
S56	104	((uncompress\$5 header) or header) same compress\$5 same value same deriv\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:24
S57	47	S56 and @ay<"2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:24
S58	24	S56 and @ay<"2004" and (compres\$5 near5 value\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:26
S59	17	S56 and @ay<"2004" and (compres\$5 near5 value\$5) and decompress\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:28
S60	315	(value near3 compres\$5) near10 Uncompress\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:33

S61	0	"315" @ay< "2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:34
S62	276109	"315" and @ay< "2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:34
S63	2	((value near3 compress\$5) near10 Uncompress\$5) with deriv\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:35
S64	9	((value near3 compress\$5) near10 Uncompress\$5) same deriv\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 16:35
S65	93	("4864572" "5049881" "5293379" "5455684" "5497404" "5835730" "5938736").PN. OR ("6032197").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:38
S66	614	compressed with (vlaue or key or filed) with (reconstruct\$5 or reproduce \$5 or rebuild\$5 or restor\$5 or uncompressed or decompress\$5 or deriv\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:50
S67	377	S66 and @ay< "2004"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:50
S68	46	S66 and @ay< "2004" and delt\$5	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:51
S69	5430	decompress\$5 near3 method\$5	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:55
S70	3460	decompress\$5 near3 method\$5 near10 compress \$5	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:56
S71	2420	S70 and @ay< "2004"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:56
S72	108	(decompress\$5 near3 method\$5 near10 compress \$5) with header	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:57
S73	82	S72 and @ay< "2004"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 16:57
S74	261	(compressed header) with (compris\$5 or consist\$5 or includ\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:43

S75	302	(compressed header) with (compris\$5 or consist\$5 or includ\$5 or filed or key or value or parameter or sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:44
S76	144	(compressed header) with (compris\$5 or consist\$5 or includ\$5 or filed or key or value or parameter or sequence) with (deriv\$5 or uncompress\$5 or decompress\$5 or number)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:45
S77	80	S76 and @ay< "2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:46
S78	21	(compressed header) near5 (compris\$5 or consist\$5 or includ\$5 or contain or has or have) near5 value	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 10:50
S79	43	((compressed) near3 (compris\$5 or consist\$5 or includ\$5 or contain or has or have) near3 (value or filed)) with decompress\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 10:53
S80	11	((compressed) near3 (compris\$5 or consist\$5 or includ\$5 or contain or has or have) near3 (value or filed)) with (decompress\$5 with reconstruct\$5 or retri\$5 or rebuild\$5 or restor\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 10:54
S81	1	history with uncompressed with header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 10:58
S82	35	(history or log or list or archiv\$5) with uncompressed with header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 10:59
S83	24	S82 and @ay< "2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 10:59

S84	35	(history or log or list or archiv\$5) with uncompressed with header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 12:20
-----	----	---	---	-----	----	---------------------

6/ 11/ 2009 6:02:41 PM

**C:\ Documents and Settings\ doveissi\ My Documents\ EAST\ Workspaces\ 10803002-VER-
Amended.wsp**